ELSEVIER

Journal of Magnetism and Magnetic Materials 215–216 (2000) 813–824

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volumes 215–216

Acher, O., see Malliavin, M.-J. 811
Agudo, P., see Andrejco, R. 381
Aharoni, A., An ideally soft ferromagnet: is it feasible? 18
Ahlers, H. and J. Lüdke, The uncertainties of magnetic properties measurements of electrical sheet steel 711
Ahn, S.J., see Kim, C.G. 159
Ahn, S.J., K.J. Jang and C.G. Kim, The variation of giant magneto-impedance ratio in amorphous $Co_{66}Fe_4NiB_{14}Si_{15}$ ribbon annealed by pulsed Nd:YAG laser 484
Allia, P., M. Coisson, P. Tiberto, F. Vinai and L. Lanotte, Magnetic permeability relaxation in amorphous $Fe_{62.5}Co_6Ni_{7.5}Zr_6Cu_1Nb_2B_{15}$ 346
Alves, F., J.B. Desmoulins, D. Hérisson, J.F. Rialland and F. Costa, Stress-induced anisotropy in Finemet- and Nanoperm-type nanocrystalline alloys using flash annealing 387
An, S.Y., see Kim, S.J. 210
An, S.Y., see Kim, C.S. 213
Anderson, P.I., A.J. Moses and H.J. Stanbury, An automated system for the measurement of magnetostriction in electrical steel sheet under applied stress 714
Andrejco, R., R. Matejko, R. Varga, P. Vojtanik, P. Agudo, M. Vázquez, H. Sassik and R. Grössinger, Magnetic and structural properties of $Fe_{92-x}Nb$-Cu_1B_x alloys 381
Antonov, A.S., see Usov, N.A. 545
Appino, C., see Dupré, L.R. 112
Appino, C., see Ferrando, L. 127
Appino, C., C. Beatrice, P. Tiberto and F. Vinai, Giant magnetoimpedance and induced anisotropy in joule-heated and conventionally annealed Co-based amorphous materials 349
Appino, C., see Ferrara, E. 466
Arai, K.I., see Yamaguchi, M. 807
Aroca, C., see Pérez, L. 337
Aroca, C., see Michelena, M.D. 677
Aroca, C., see Prieto, J.L. 756
Arrott, A.S., The past, the present and the future of soft magnetic materials 6
Asano, T., see Yanase, S. 156
Asenjo, A., see Garcia, J.M. 352
Astie, B., see Shin, D.W. 165
Astie, B., see Shin, D.W. 168
Atmani, H., see Thoumire, O. 103
Atmani, H., see Grognet, S. 391
Ausanio, G., see Lanotte, L. 276
Azcoitia, Ch., see Karimi, A. 601
Babich, M., see Zakharenko, M. 313
Bajorek, J. and J. Kolasa, Non-destructive method of magnetic permeability control of non-magnetic machine elements 726
Balla, M., see Sztaniszlav, A. 188
Balogh, I., see Lovas, A. 463
Balogh, J., see Kemény, T. 268
Bannykh, O.A., E.N. Sheftel, A.I. Krikunov, D.E. Kaputkin, G.Sh. Usmanova and R.E. Stroug, Changes of chemical composition and structure of soft magnetic nanocrystalline Fe–Zr–N alloy under vacuum annealing 397
Barandiaran, J.M., see Kurlyandskaya, G.V. 516
Barandiaran, J.M., see Cobeño, A.F. 743
Barandiarán, J.M., see Kurlyandskaya, G.V. 740
Baranov, S.A., see Torcunov, A.V. 303
Baricco, M., see Ferrando, L. 127
Basso, V. and G. Bertotti, Hysteresis in soft magnetic materials 1
Basso, V., see LoBue, M. 124
Basso, V., see LoBue, M. 446
Baumgartinger, N., see Krell, C. 63
Baumgartinger, N., H. Pfützner and G. Krismanić, Practical relevance of the "hard directions" of h.g.o. Si–Fe 147
Baumgartinger, N., see Krismanić, G. 150
Baumgartinger, N., C. Krell, H. Pfützner and G. Krismanic, Application of neural networks for the prediction of multidirectional magnetostriction 617
Baumgartinger, N., see Krell, C. 634
Baumgartinger, N., see Krismanić, G. 720
Beatrice, C., see Appino, C. 349
Beatrice, C., see LoBue, M. 446
Beatrice, C., see Ferrara, E. 466
Beatrice, C., see Pasquale, M. 769
Beckley, P., Industrial magnetic measurements 664
Beke, D.L., see Szabó, S. 60
Bekoeva, L.M., see Shalyguina, E.E. 472
Benda, O., J. Bydžovský, P. Krivošik and E. Ušák, Comparision of simulated and measured magnetisation curves using a rigorously identified moving Preisach model 644
Bertin, F., see Malliavin, M.-J. 811
Bertotti, G., see Basso, V. 1
Bertotti, G., see LoBue, M. 124
Bertotti, G., see LoBue, M. 446
Bezdička, P., see Lančok, A. 30

0304-8853/00/$-see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00398-X

Bieńkowski, A. and Z. Kaczkowski, Major and minor magnetostriction hysteresis loops of Co–Cu–Ni ferrite 234
Bieńkowski, A., Magnetoelastic Villari effect in Mn–Zn ferrites 231
Bitoh, T., see Makino, A. 288
Błachowicz, A., see Hasiak, M. 410
Błachowicz, A., see Olszewski, J. 416
Błachowicz, A., see Zbroszczyk, J. 419
Błachowicz, A., J. Zbroszczyk, J. Olszewski, W.H. Ciurzyńska, H. Fukunaga, K. Narita, B. Wysłocki and M. Hasiak, Magnetic softening of nanocrystalline $Fe_{74}Cu_1Nb_3Si_{12}B_{10}$ alloy obtained by two-step heat treatment 422
Blanco, J.M., see García-Tello, P. 316
Blanco, J.M., see Zhukova, V. 322
Blanco, J.M., see Cobeño, A.F. 743
Bottauscio, O., M. Chiampi and D. Chiarabaglio, Magnetic flux distribution and losses in narrow ferromagnetic strips 46
Bottauscio, O., M. Chiampi, D. Chiarabaglio and M. Zucca, Use of grain-oriented materials in low-frequency magnetic shielding 130
Brekharya, G., see Sheiko, L. 24
Brekharya, G., see Sheiko, L. 86
Brud'ko, O., see Zakharenko, M. 313
Butvin, P., B. Butvinová, Z. Frait, J. Sitek and P. Švec, Magnetic response of FeNbCuBSi RQ ribbons to bi-axial strain 293
Butvin, P., see Butvinová, B. 708
Butvinová, B., see Butvin, P. 293
Butvinová, B., P. Butvin and V. Ocelík, Susceptibility and its disaccommodation in nanocrystalline FeNb-based materials 708
Bydžovský, J., see Benda, O. 644

Calvo-Dalborg, M., see Zaichenko, S.G. 297
Carbucicchio, M., see Lanotte, L. 276
Carbucicchio, M., C. Grazzi, M. Rateo, G. Ruggiero, M. Solzi and G. Turilli, Size-dependent magnetic properties in Fe/Al multilayers 563
Carrizo, J., see Tejedor, M. 319
Carvalho, P.S.G., see Landgraf, F.J.G. 94
Castaño, F.J., see Stobiecki, T. 566
Černík, M., see Džubinský, M. 83
Cha, S.Y., see Kim, C.G. 159
Chabicovsky, R., see Hauser, H. 788
Chady, T. and M. Enokizono, Multi-frequency exciting and spectrogram-based ECT method 700
Chagas, F.C., see Landgraf, F.J.G. 92
Chang, S.K., see Kim, C.G. 159
Chang, S.K., see Kim, J.-K. 162
Chaput, L., see Waeckerlé, T. 207
Chaput, L., see Coutu, L. 237
Chevalier, A., J.-L. Mattei and M. Le Floc'h, Ferromagnetic resonance of isotropic heterogeneous magnetic materials: theory and experiments 66
Chevalier, T., A. Kedous-Lebouc and B. Cornut, A method to evaluate effects of eccentricity and anisotropy on iron losses of electrical machines. Application to an induction motor 604
Chevalier, T., A. Kedous-Lebouc and B. Cornut, Influence of electrical sheet width on dynamic magnetic properties 623
Chiampi, M., see Bottauscio, O. 46
Chiampi, M., see Bottauscio, O. 130
Chiarabaglio, D., see Bottauscio, O. 46
Chiarabaglio, D., see Bottauscio, O. 130
Chiriac, H. and N. Lupu, Bulk amorphous $(Fe,Co,Ni)_{70}(Zr,Nb,M)_{10}B_{20}$ (M = Ti, Ta or Mo) soft magnetic alloys 394
Chiriac, H., see Kraus, L. 343
Chiriac, H., M. Lozovan, M. Neagu and C. Hison, Correlation between Hall effect and magnetostriction in nanocrystalline $Fe_{90}Hf_7B_3$ ribbons 378
Chiriac, H., C.N. Colesniuc and T.-A. Óvári, FMR Investigation of the nanocrystalline FeCuNbSiB glass-covered wires 407
Chiriac, H., T.-A. Óvári and C.S. Marinescu, Large gyromagnetic effect in soft magnetic amorphous ribbons and wires 413
Chiriac, H., M. Lozovan and M. Urse, On Hall effect and thermoelectrical properties of $(FeNiCo)_x$–$(SiO_2)_{1-x}$ nanocomposite thin films 535
Chiriac, H., C.S. Marinescu and T.-A. Óvári, Temperature dependence of the magneto-impedance effect in Co-rich amorphous glass-covered wires 539
Chiriac, H., E. Hristoforou, M. Neagu and M. Pieptanariu, Linear variable differential transformer sensor using glass-covered amorphous wires as active core 759
Cho, W.-S., T.-S. Yoon, H. Lee and C.-O. Kim, Annealing effect on the longitudinal and transverse incremental permeability in FeSmO thin films 680
Cho, W.K., see Kim, H.C. 355
Cho, Y.S., see Park, S.-I. 548
Chocyk, D., see Stobiecki, T. 570
Choi, T.C., see Jang, P.W. 557
Cięciwa, B.T., M. Lubecka, L.J. Maksymowicz, W. Powrożnik and J. Sokulski, Magnetic semiconductor thin films of $CdCr_{2-2x}In_{2x}Se_4$ photoconductivity 782
Ciurzyńska, W.H., see Hasiak, M. 410
Ciurzyńska, W.H., see Olszewski, J. 416
Ciurzyńska, W.H., see Zbroszczyk, J. 419
Ciurzyńska, W.H., see Błachowicz, A. 422
Ciurzyńska, W.H., Effect of the silicon content on the magnetic susceptibility disaccommodation in silicon–iron ribbons 542
Cobeño, A.F., see Zhukova, V. 322
Cobeño, A.F., A.P. Zhukov, E. Pina, J.M. Blanco, J. Gonzalez and J.M. Barandiaran, Sensitive magnetoelastic properties of amorphous ribbon for magnetoelastic sensors 743
Coisson, M., see Allia, P. 346
Colesniuc, C.N., see Chiriac, H. 407
Conde, A., see Franco, V. 400
Conde, A., see Franco, V. 404
Conde, C.F., see Franco, V. 400
Conde, C.F., see Franco, V. 404
Coombs, A., see Lindenmo, M. 79
Coombs, A., see Snell, D. 133
Cornut, B., see Schneeweiss, O. 115

Cornut, B., see Chevalier, T. 604
Cornut, B., see Spornic, S.A. 614
Cornut, B., see Chevalier, T. 623
Costa, F., see Alves, F. 387
Coutu, L., L. Chaput and T. Waeckerle, 50.50 FeNi permalloy with Ti and Cr additions for improved hardness and corrosion resistance 237
Cremer, P., see Waeckerlé, T. 449
Czapkiewicz, M., see Stobiecki, T. 566
Czapkiewicz, M., see Stobiecki, T. 570

Dalborg, U., see Zaichenko, S.G. 297
Dauwe, Ch., see Jirásková, Y. 118
David, G., S. Roth, J. Eckert and L. Schultz, Effect of annealing in hydrogen on composition, structure and magnetic properties of rapidly quenched Fe–Co–Si–TM–B ribbons 434
Davies, H.A., see Todd, I. 272
De Abril, Ó., see Pérez, L. 337
De Campos, M.F., see Landgraf, F.J.G. 92
De Campos, M.F., see Landgraf, F.J.G. 97
De Luigi, C., see Ferrara, E. 466
De Wulf, M., see Makaveev, D. 673
Degauque, J., see Ferrando, L. 127
Degauque, J., see Shin, D.W. 165
Degauque, J., see Shin, D.W. 168
Degauque, J., see Karimi, A. 601
Denma, H., Y. Ishihara, T. Todaka and M. Doi, Effect of grain diameter on iron loss properties of non-oriented silicon steel sheets 106
Derebasi, N., R. Rygal, A.J. Moses and D. Fox, Variation of magnetic properties of toroidal cores with magnetizing frequency 611
Derebasi, N., R. Rygal, A.J. Moses and D. Fox, A novel system for rapid measurement of high-frequency magnetic properties of toroidal cores of different sizes 684
Derebasi, N., see Rygal, R. 687
Derebasi, N., see Moses, A.J. 690
Desmoulins, J.B., see Alves, F. 387
Didukh, P., see Ślawska-Waniewska, A. 227
Didukh, P., see Ślawska-Waniewska, A. 495
Dmitrieva, N.V., N.M. Kleinerman, V.A. Lukshina, V.V. Serikov and A.P. Potapov, Thermal stability of the induced magnetic anisotropy and structure of the nanocrystalline alloy FeCuNbSiB 453
Dmitrieva, N.V., see Kurlyandskaya, G.V. 740
Doi, M., see Denma, H. 106
Dominguez, L., see Zhukova, V. 322
Drake, A.E., see Hall, M.J. 717
Džubinský, M., F. Kováč and M. Černík, Secondary recrystallization kinetics in GO electrotechnical steels 83
Duhaj, P., see Kane, S.N. 375
Duhaj, P., see Škorvánek, I. 431
Duhaj, P., see Vlasák, G. 476
Dupré, L.R., F. Fiorillo, J. Melkebeek, A.M. Rietto and C. Appino, Loss versus cutting angle in grain-oriented Fe-Si laminations 112

Eckert, J., see David, G. 434
Elbaile, L., see Tejedor, M. 319
Emura, M., see Landgraf, F.J.G. 94
Emura, M., see Landgraf, F.J.G. 97
Endo, I., see Yagi, M. 284
Enokizono, M. and Y. Takeshima, Measurement system of alternating magnetic properties under DC-biased field 704
Enokizono, M., T. Todaka and Y. Yoshitomi, Chaotic phenomena of rotational Barkhausen noise 43
Enokizono, M., see Kanada, T. 573
Enokizono, M., see Soda, N. 626
Enokizono, M., see Chady, T. 700
Enokizono, M., S. Fujiyama, H. Simoji and J. Sievert, Localized distribution of two-dimensional magnetic properties in three-phase induction motor core model 772

Falleiros, I.G.S., see Landgraf, F.J.G. 92
Fannin, P.C., see Ślawska-Waniewska, A. 227
Farkas-Jahnke, M., see Sztaniszlav, A. 188
Felner, I., see Rozenberg, E. 201
Felner, I., see Revzin, B. 204
Ferrando, L., C. Lebourg, E. Ferrara, C. Appino, F. Fiorillo, J. Degauque, J.L. Gauffier, D.W. Shin and M. Baricco, Effect of stress on magnetic losses and role of Mn addition in Fe–Si rapidly solidified ribbons 127
Ferrara, E., see Ferrando, L. 127
Ferrara, E., C. De Luigi, C. Beatrice, C. Appino and F. Fiorillo, Energy loss vs. magnetizing frequency in field-annealed nanocrystalline alloys 466
Fiorillo, F., see Dupré, L.R. 112
Fiorillo, F., see LoBue, M. 124
Fiorillo, F., see Ferrando, L. 127
Fiorillo, F., see Ferrara, E. 466
Fnidiki, A., see Thoumire, O. 103
Fox, D., see Derebasi, N. 611
Fox, D., see Derebasi, N. 684
Fraisse, H., see Waeckerlé, T. 184
Fraisse, H., see Waeckerlé, T. 207
Fraisse, H., see Raulet, M.A. 620
Frait, Z., see Butvin, P. 293
Franco, V., C.F. Conde, A. Conde and L.F. Kiss, Superparamagnetic behaviour in an $Fe_{76}Cu_1Nb_3Si_{10.5}B_{9.5}$ alloy 400
Franco, V., C.F. Conde, A. Conde, B. Varga and A. Lovas, Thermomagnetic study of $Fe_{73.5-x}Cr_xSi_{13.5}B_9Cu_1Nb_3$ (x = 1,3,5,10) alloys 404
Fujikura, M., see Kubota, T. 69
Fujiyama, S., see Enokizono, M. 772
Fukunaga, H., see Zbroszczyk, J. 419
Fukunaga, H., see Błachowicz, A. 422
Füzer, J., see Zeleňáková, A. 459
Füzer, J., see Kollár, P. 560
Füzi, J., Anisotropic vector Preisach particle 597
Füzi, J., Strong coupling in electromechanical computation 746

Gan'shina, E.A., see Zaichenko, S.G. 297
García, A., see Morón, C. 153
García, A., see Morón, C. 469
García, D., see Tejedor, M. 425
García, D., see Kurlyandskaya, G.V. 516

Garcia, D., see Kurlyandskaya, G.V. 740
Garcia, J.A., see Tejedor, M. 319
Garcia-Tello, P., J. González, R. Valenzuela and J.M. Blanco, Tensile stress dependence of the coercivity and magnetostriction of stress-annealed (by Joule heating) $Co_{66}Fe_4Mo_2Si_{16}B_{12}$ alloy 316
Garcia, D., see Stobiecki, T. 566
Garcia, J.M., A. Asenjo, J.P. Sinnecker and M. Vazquez, Correlation between GMI effect and domain structure in electrodeposited Co–P tubes 352
Gasparics, A., see Vértesy, G. 762
Gauffier, J.L., see Ferrando, L. 127
Gautard, D., see Waeckerlé, T. 449
Gibbs, M.R.J., see Todd, I. 272
Gigla, M., see Kwapuliński, P. 334
Girgis, R., see teNyenhuis, Ed 110
Gładyszewski, G., see Stobiecki, T. 570
Glezer, A.M., see Zaichenko, S.G. 297
Gonchar, A., S. Gorelik, S. Katynkina, L. Letyuk and I. Ryabov, The regularity of microstructure formation and its influence on the properties of soft magnetic ferrites 221
Gonchar, A., S. Katynkina, L. Letyuk and I. Ryabov, The influence of the microstructure parameters on the magnetic losses in soft magnetic ferrites for television engineering 224
Gonzalez, J., see Zhukova, V. 322
Gonzalez, J., see Cobeño, A.F. 743
González, J., see García-Tello, P. 316
Gorelik, S., see Gonchar, A. 221
Goričan, V., B. Hribernik, A. Hamler and T. Nakata, The measurement of power losses at high magnetic field densities or at small cross-section of test specimen using the averaging 693
Goričan, V., see Štumberger, B. 753
Gorlanova, M.A., N.A. Skulkina, V.A. Kataev, O.A. Ivanov, A.A. Mikhaylov and A.V. Kuranov, Magnetic properties and domain structure of Fe–Al alloy as magnetostriction material 49
Gorodetsky, G., see Rozenberg, E. 201
Gorodetsky, G., see Revzin, B. 204
Grabias, A., see Stobiecki, T. 566
Grahl, H., see Müller, M. 437
Grazzi, C., see Carbucicchio, M. 563
Greneche, J.M. and A. Ślawska-Waniewska, About the interfacial zone in nanocrystalline alloys 264
Greneche, J.M., see Ślawska-Waniewska, A. 227
Grognet, S., H. Atmani, R. Zuberek and J. Teillet, Structural and magnetic study of nitrogenated FeCu-(Nb,Zr)-SiB ribbons 391
Grössinger, R., see Sassik, H. 260
Grössinger, R., see Andrejco, R. 381
Grössinger, R., see Matejko, R. 384
Grössinger, R., see Škorvánek, I. 431
Guillot, I., see Hug, E. 197
Gupta, A., see Kane, S.N. 372
Gupta, A., see Kane, S.N. 375
Guslienko, K.Yu. and A.N. Slavin, Spin-wave excitations in cylindrical magnetic dot arrays with in-plane magnetization 576
Gutiérrez, J., see Kurlyandskaya, G.V. 516
Hall, M.J., A.E. Drake and L.C.A. Henderson, Traceable measurement of soft magnetic materials at high frequencies 717
Hamler, A., see Goričan, V. 693
Han, H.S., see Kim, H.C. 355
Han, S.H., see Kim, S.R. 365
Han, S.H., see Kim, K.H. 368
Han, S.H., see Kim, K.H. 428
Handa, S., see Okazaki, Y. 328
Haneczok, G., see Kwapuliński, P. 334
Harase, J. and R. Shimizu, Influence of cold rolling reduction on the grain boundary character distribution and secondary recrystallization in nitrided Fe 3% Si alloy 89
Hasegawa, R., Present status of amorphous soft magnetic alloys 240
Hasiak, M., J. Zbroszczyk, J. Olszewski, W.H. Ciurzyńska, B. Wysłocki and A. Błachowicz, Effect of cooling rate on magnetic properties of amorphous and nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{15.5}B$- alloy 410
Hasiak, M., see Olszewski, J. 416
Hasiak, M., see Zbroszczyk, J. 419
Hasiak, M., see Błachowicz, A. 422
Hauser, H., J. Hochreiter, G. Stangl, R. Chabicovsky, M. Janiba and K. Riedling, Anisotropic magnetoresistance effect field sensors 788
Henderson, L.C.A., see Hall, M.J. 717
Hernando, A., see Marín, P. 729
Hernando, B., see Tejedor, M. 425
Hertel, R., see Kronmüller, H. 11
Herzer, G. and L.K. Varga, Exchange softening in nanocrystalline alloys 506
Hirakawa, T., see Iwami, Y. 443
Hison, C., see Chiriac, H. 378
Hochreiter, J., see Hauser, H. 788
Hong, J.-H., see Park, D.-G. 765
Hong, J.H., see Park, D.G. 785
Hribernik, B., see Goričan, V. 693
Hribernik, B., see Štumberger, B. 753
Hérisson, D., see Alves, F. 387
Hristoforou, E., see Chiriac, H. 759
Hubert, O., see Hug, E. 197
Hug, E., O. Hubert and I. Guillot, Effect of strengthening on the magnetic behaviour of ordered intermetallic 2% V–CoFe alloys 197

Iannotti, V., see Lanotte, L. 276
Ilo, A., H. Pfützner and T. Nakata, Critical induction – a key quantity for the optimisation of transformer core operation 637
Infortuna, A., see Pasquale, M. 769
Inoue, A., A. Makino and T. Mizushima, Ferromagnetic bulk glassy alloys 246
Inoue, A., see Makino, A. 288
Ishida, M., see Senda, K. 136
Ishihara, Y., see Denma, H. 106
Ishihara, Y., see Nakata, T. 607
Ishihara, Y., A. Isozumi, T. Todaka and T. Nakata, Comparison of two averaging methods for improving the measurement accuracy of power loss 696
Isozumi, A., see Ishihara, Y. 696

Ito, K., see Landgraf, F.J.G. 94
Ito, K., see Yamaguchi, M. 807
Ivanov, O.A., see Gorlanova, M.A. 49
Ivanov, O.A., see Skulkina, N.A. 331
Iványi, A., see Szabó, Z. 33
Iwami, Y., Y. Okazaki, T. Shimizu, T. Hirakawa and A. Saito, Effect of magnetic annealing on magnetization changes of amorphous ribbon under stress 443

Jabłoński, R., see Maksymowicz, L.J. 579
Jang, K.J., see Yoon, S.S. 325
Jang, K.J., see Ahn, S.J. 484
Jang, K.J., C.G. Kim, S.S. Yoon and S.-C. Yu, Effect of annealing field on asymmetric giant magnetoimpedance profile in Co-based amorphous ribbon 488
Jang, P.W., W.T. Kim, T.C. Choi, S.-C. Yu and J. Kim, Origin of uniaxial anisotropy of Fe(001) films epitaxially grown on Pd(001)/Cu(001)/Si(001) 557
Jang, Y.I., see Kim, S.R. 365
Janiba, M., see Hauser, H. 788
Jančárik, V., see Sláma, J. 641
Jirásková, Y., see Schneeweiss, O. 115
Jirásková, Y., O. Schneeweiss, T. Van Hoecke, D. Segers and Ch. Dauwe, Investigation of defects and stresses in SiFe steel surfaces 118
Juhász, R., see Szabó, S. 60

Kachalov, V.M., see Zaichenko, S.G. 297
Kaczkowski, Z., see Bieńkowski, A. 234
Kaczkowski, Z., see Vlasák, G. 476
Kadlecová, J., see Melikhov, Y.Yu. 27
Kanada, T. and M. Enokizono, A slant type shape memory alloy 573
Kane, S.N., S. Sarabhai, A. Gupta, L.K. Varga and T. Kulik, Effect of quenching rate on crystallization in $Fe_{73.5}Si_{13.5}B_9Cu_1Nb_3$ alloy 372
Kane, S.N., A. Gupta, L. Kraus and P. Duhaj, Effect of Nb content on the structural and magnetic properties of amorphous $Co_{21}Fe_{64-x}Nb_xB_{15}$ alloys 375
Kanellis, S., see Todorow, B. 499
Kaniusas, E., L. Mehnen, C. Krell and H. Pfützner, A magnetostrictive acceleration sensor for registration of chest wall displacements 776
Kaniusas, E., see Mehnen, L. 779
Kaptás, D., see Kemény, T. 268
Kaputkin, D.E., see Bannykh, O.A. 397
Karimi, A., Ch. Azcoitia and J. Degauque, Relationships between magnetomechanical damping and magnetic properties of Fe–Cr(Al,Mo) alloys 601
Kataev, V.A., see Gorlanova, M.A. 49
Katynkina, S., see Gonchar, A. 221
Katynkina, S., see Gonchar, A. 224
Kádár, G. and G. Szabó, Hysteresis modeling 592
Kedous-Lebouc, A., see Chevalier, T. 604
Kedous-Lebouc, A., see Spornic, S.A. 614
Kedous-Lebouc, A., see Chevalier, T. 623
Kemény, T., D. Kaptás, L.F. Kiss, T. Pusztai, J. Balogh and I. Vincze, The composition dependence of the structural and magnetic properties in $Fe_{92-x}B_xZr$-Cu_1 nanocrystals 268
Kendall, D., see Todd, I. 272

Khan, H.R. and K. Petrikowski, Anisotropic structural and magnetic properties of arrays of $Fe_{26}Ni_{74}$ nanowires electrodeposited in the pores of anodic alumina 526
Kikuchi, S., see Yamaguchi, M. 807
Kim, C.-O., see Cho, W.-S. 680
Kim, C.G., H.C. Kim, S.J. Ahn, S.Y. Cha and S.K. Chang, Magnetizing angle dependence of harmonics of magnetic induction and magnetostriction in electrical steel 159
Kim, C.G., see Yoon, S.S. 325
Kim, C.G., see Kim, H.C. 355
Kim, C.G., see Ryu, G.H. 359
Kim, C.G., see Škorvánek, I. 440
Kim, C.G., see Ahn, S.J. 484
Kim, C.G., see Jang, K.J. 488
Kim, C.G., see Song, S.-H. 532
Kim, C.G., B.S. Park, D.Y. Kim, J.S. Song and B.K. Min, Temperature dependence of the AMR curve in NiO/NiFe bilayers 582
Kim, C.G., see Kim, D.Y. 585
Kim, C.G., see Park, D.-G. 765
Kim, C.G., see Park, D.G. 785
Kim, C.S., S.-I. Park and Y.-J. Oh, Mössbauer studies of CMR compound $La_{0.6}$-$Ca_{0.33}Mn_{0.97}$-$^{57}Fe_{0.03}O_3$ 40
Kim, C.S., see Kim, S.J. 210
Kim, C.S., W.C. Kim, S.Y. An and S.W. Lee, Structure and Mössbauer studies of Cu-doped Ni–Zn ferrite 213
Kim, C.S., see Kim, W.C. 217
Kim, C.S., see Yoon, S.H. 362
Kim, C.S., see Park, S.-I. 548
Kim, C.S., Y.R. Uhm, S.B. Kim and J.-G. Lee, Magnetic properties of $Y_{3-x}La_xFe_5O_{12}$ thin films grown by a sol–gel method 551
Kim, C.S., see Uhm, Y.R. 554
Kim, D.W., see Park, D.G. 785
Kim, D.Y., see Kim, C.G. 582
Kim, D.Y., C.G. Kim, B.S. Park and C.M. Park, Thickness dependence of planar Hall resistance and field sensitivity in NiO(30 nm)/NiFe(*t*) bilayers 585
Kim, H.C., see Kim, C.G. 159
Kim, H.C., S.C. Yu, C.G. Kim, H.S. Han and W.K. Cho, Neutron irradiation effect on the magnetic properties in Fe_8-Zr-B_6 355
Kim, H.J., see Kim, S.R. 365
Kim, H.J., see Kim, K.H. 368
Kim, H.J., see Kim, K.H. 428
Kim, J., see Kim, S.R. 365
Kim, J., see Kim, K.H. 368
Kim, J., see Kim, K.H. 428
Kim, J., see Jang, P.W. 557
Kim, J.-K., J.S. Woo and S.K. Chang, Influence of annealing before cold rolling on the evolution of sharp Goss texture in Fe-3%Si alloy 162
Kim, K.-S., see Song, S.-H. 532
Kim, K.H., see Kim, S.R. 365
Kim, K.H., Y.H. Kim, J. Kim, S.H. Han and H.J. Kim, Effect of sputtering input power on structural inhomogeneities in as-sputtered Fe–Hf–N thin films 368
Kim, K.H., Y.H. Kim, J. Kim, S.H. Han and H.J. Kim, Thickness effect on magnetic properties in nanocrystalline Fe–Hf–N thin films 428

Kim, S.B., see Yoon, S.H. 362
Kim, S.B., see Kim, C.R. 551
Kim, S.J., S.W. Lee, S.Y. An and C.S. Kim, Mössbauer studies of superexchange interactions and atomic migration in $CoFe_2O_4$ 210
Kim, S.J., see Kim, W.C. 217
Kim, S.R., K.H. Kim, Y.I. Jang, J. Kim, S.H. Han and H.J. Kim, Soft magnetic properties of as-sputtered Fe–Al–O films 365
Kim, T.-K., see Lee, H. 307
Kim, T.-K., see Lee, H. 310
Kim, T.-K., see Lee, H.-C. 522
Kim, W.C., see Kim, C.S. 213
Kim, W.C., S.W. Lee, S.J. Kim, S.H. Yoon and C.S. Kim, Magnetic properties of Y-, La-, Nd-, Gd-, and Bi-doped ultrafine $CoFe_2O_4$ spinel grown by using a sol–gel method 217
Kim, W.C., see Yoon, S.H. 362
Kim, W.T., see Jang, P.W. 557
Kim, Y.-K., see Lee, H. 307
Kim, Y.-K., see Lee, H. 310
Kim, Y.H., see Kim, K.H. 368
Kim, Y.H., see Kim, K.H. 428
Kim, Y.H., see Park, S.-I. 548
Kis-Varga, M., see Szabó, S. 60
Kiss, L.F., see Kemény, T. 268
Kiss, L.F., see Franco, V. 400
Kiss, L.F., see Lovas, A. 463
Kitagawa, H., see Okazaki, Y. 328
Kákay, A., see Varga, L.K. 121
Kleinerman, N.M., see Dmitrieva, N.V. 453
Kobira, T., see Yamaguchi, T. 529
Kochmann, T., see Moses, A.J. 669
Kojima, A., see Makino, A. 288
Kolano, A., see Wójcik, N. 503
Kolano, R., see Wójcik, N. 503
Kolano, R., J. Pinkiewicz, N. Wójcik, J. Sobota and J. Szynowski, An effect of manufacturing conditions on the properties of a 250 kVA three-limb three-phase distribution amorphous transformer 792
Kolasa, J., see Bajorek, J. 726
Kollár, P., see Zeleňáková, A. 459
Kollár, P., J. Kováč, J. Füzer, P. Sovák, E. Pancuráková and M. Konč, The structure and magnetic properties of a powder FeCuNbSiB material 560
Komatsubara, M., see Senda, K. 136
Konč, M., see Varga, R. 340
Konč, M., see Zorkovská, A. 492
Konč, M., see Kollár, P. 560
Konczos, G., see Sólyom, A. 482
Kopcewicz, M., see Kulik, T. 455
Kopcewicz, M., see Stobiecki, T. 566
Korenivski, V., GHz magnetic film inductors 800
Koshimoto, H., see Yagi, M. 284
Kostishyn, V.G., V.V. Medved' and L.M. Letyuk, Magnetic microstructure and properties of $Y_3Fe_5O_{12}$ epitaxial films with the various contents of Pb ions 519
Kottar, A., see Sassik, H. 260
Kováč, J., see Škorvánek, I. 440
Kováč, J., see Sólyom, A. 482
Kováč, J., see Zorkovská, A. 492
Kovac, J., see Varga, L.K. 121
Kováč, F., see Džubinský, M. 83
Kováč, J., see Kollár, P. 560
Kraus, L., H. Chiriac and T.-A. Óvari, Magnetic properties of stress-Joule-heated amorphous FeCrBSi microwire 343
Kraus, L., see Kane, S.N. 375
Krell, C., N. Baumgartinger, G. Krismanic, E. Leiss and H. Pfützner, Stress effects on the multidirectional magnetic behaviour of grain-oriented silicon iron sheets 63
Krell, C., see Baumgartinger, N. 617
Krell, C., N. Baumgartinger, G. Krismanic, E. Leiss and H. Pfützner, Relevance of multidirectional magnetostriction for the noise generation of transformer cores 634
Krell, C., see Kaniusas, E. 776
Krikunov, A.I., see Bannykh, O.A. 397
Krismanić, G., see Baumgartinger, N. 147
Krismanić, G., H. Pfützner and N. Baumgartinger, On the practical relevance of rotational magnetisation for power losses of transformer cores 150
Krismanić, G., H. Pfützner and N. Baumgartinger, A hand-held sensor for analyses of local distributions of magnetic fields and losses 720
Krismanic, G., see Krell, C. 63
Krismanic, G., see Baumgartinger, N. 617
Krismanic, G., see Krell, C. 634
Krivošik, P., see Sláma, J. 641
Krivošik, P., see Benda, O. 644
Kronmüller, H. and R. Hertel, Computational micromagnetism of magnetic structures and magnetisation processes in small particles 11
Kubota, T., M. Fujikura and Y. Ushigami, Recent progress and future trend on grain-oriented silicon steel 69
Kucherov, V.Ye., see Vakhitov, R.M. 56
Kulik, T. and M. Kopcewicz, Effect of quenching rate on magnetic properties and local magnetic anisotropy in $Fe_{78}Si_9B_{13}$ glass 455
Kulik, T., see Kane, S.N. 372
Kulik, T., see Ślawska-Waniewska, A. 495
Kulyk, O., see Sheiko, L. 24
Kulyk, O., see Sheiko, L. 86
Kuźmiński, M., see Zeleňáková, A. 459
Kuranov, A.V., see Gorlanova, M.A. 49
Kurlyandskaya, G.V., see Tejedor, M. 425
Kurlyandskaya, G.V., J.M. Barandiaran, M. Vázquez, D. García, J. Gutiérrez, V.O. Vas'kovskiy and V.N. Lepalovskij, The magnetoresistance contribution to the total magnetoimpedance of thin films: a simple model and experimental basis 516
Kurlyandskaya, G.V., J.M. Barandiarán, M. Vázquez, D. García and N.V. Dmitrieva, Influence of geometrical parameters on the giant magnetoimpedance response in amorphous ribbons 740
Kurosawa, M., see Senda, K. 136
Kwapuliński, P., J. Rasek, Z. Stokłosa, G. Haneczok and M. Gigla, Structural relaxation and crystallisation processes in $FeCu_1XSi_{13}B_9$ (X = Mo, Cr, Zr) amorphous alloys 334
Kwon, S.D., see Yoon, S.S. 325

Lachowicz, H.K., Experimental test of Néel's theory of the Rayleigh rule using gradually devitrified Co-based glass 280
Lachowicz, H.K., see Ślawska-Waniewska, A. 495
Landgraf, F.J.G., R. Takanohashi, F.C. Chagas, M.F. de Campos and I.G.S. Falleiros, The origin of grain size inhomogeneity in semi-processed electrical steels 92
Landgraf, F.J.G., M. Emura, K. Ito and P.S.G. Carvalho, Effect of plastic deformation on the magnetic properties of non-oriented electrical steels 94
Landgraf, F.J.G., M. Emura, J.C. Teixeira and M.F. de Campos, Effect of grain size, deformation, aging and anisotropy on hysteresis loss of electrical steels 97
Lančok, A., K. Závěta, S. Vratislav, P. Bezdička and I. Paseka, Dependence of the magnetic moment of iron nitrides on the presence of defect phase 30
Lanotte, L., G. Ausanio, M. Carbucicchio, V. Iannotti and M. Muller, Coexistence of very soft magnetism and good magnetoelastic coupling in the amorphous alloy $Fe_{62.5}Co_6Ni_{7.5}Zr_6Cu_1Nb_2B_{15}$ 276
Lanotte, L., see Allia, P. 346
Larin, V., see Zhukova, V. 322
Larin, V.S., see Torcunov, A.V. 303
Larin, V.S., see Malliavin, M.-J. 811
Lüdke, J., see Ahlers, H. 711
Le Floc'h, M., see Chevalier, A. 66
Le Floc'h, M., see Mattei, J.-L. 589
Lebourg, C., see Ferrando, L. 127
Leccabue, F., see Yapp, R. 300
Lee, B.W., see Park, S.-I. 548
Lee, H., Y.-K. Kim, T.-K. Kim and S.-C. Yu, Magneto-impedance effect in nanocrystalline $Fe_{91-x}Zr_xB_2Cu_1Al_1$ ($x = 2, 4, 6, 8$) alloys 307
Lee, H., Y.-K. Kim, K.-J. Lee and T.-K. Kim, A novel annealing technique for the magneto-impedance effect in amorphous $Co_{66}Fe_4Ni_1B_{14}Si_{15}$ alloy 310
Lee, H., see Lee, H.-C. 522
Lee, H., see Cho, W.-S. 680
Lee, H.-C., T.-K. Kim and H. Lee, Magnetoresistance properties of Co/Cu multilayer films with FeN and Co layers 522
Lee, H.M., see Yoon, S.H. 362
Lee, J.-G., see Kim, C.B. 551
Lee, K.-J., see Lee, H. 310
Lee, S.W., see Kim, S.J. 210
Lee, S.W., see Kim, C.S. 213
Lee, S.W., see Kim, W.C. 217
Leiss, E., see Krell, C. 63
Leiss, E., see Krell, C. 634
Lepalovskij, V.N., see Kurlyandskaya, G.V. 516
Leroy, M., see Waeckerlé, T. 207
Letyuk, L., see Gonchar, A. 221
Letyuk, L., see Gonchar, A. 224
Letyuk, L.M., see Kostishyn, V.G. 519
Lim, S.H., see Pasquale, M. 769
Lindenmo, M., A. Coombs and D. Snell, Advantages, properties and types of coatings on non-oriented electrical steels 79
LoBue, M., C. Sasso, V. Basso, F. Fiorillo and G. Bertotti, Power losses and magnetization process in Fe–Si non-oriented steels under tensile and compressive stress 124
LoBue, M., V. Basso, P. Tiberto, C. Beatrice and G. Bertotti, Hysteresis and thermal relaxation in nanocrystalline soft magnetic materials 446
Loisos, G., see Moses, A.J. 690
Lopez, E., see Prieto, J.L. 756
Lovas, A., see Franco, V. 404
Lovas, A., L.F. Kiss and I. Balogh, Saturation magnetization and amorphous Curie point changes during the early stage of amorphous–nanocrystalline transformation of a FINEMET-type alloy 463
Lozovan, M., see Chiriac, H. 378
Lozovan, M., see Chiriac, H. 535
López, E., see Pérez, L. 337
López, E., see Michelena, M.D. 677
Lubecka, M., see Maksymowicz, L.J. 579
Lubecka, M., see Cięciwa, B.T. 782
Lukshina, V.A., see Dmitrieva, N.V. 453
Lupu, N., see Chiriac, H. 394

Major, R.V., see Todd, I. 272
Makaveev, D., M. von Rauch, M. De Wulf and J. Melkebeek, Accurate field strength measurement in rotational single sheet testers 673
Makhnovskiy, D.P., L.V. Panina and D.J. Mapps, Asymmetrical magneto-impedance in a sandwich film with a transverse anisotropy using an AC bias 629
Makino, A., see Inoue, A. 246
Makino, A., T. Bitoh, A. Kojima, A. Inoue and T. Masumoto, Magnetic properties of zero-magnetostrictive nanocrystalline Fe–Zr–Nb–B soft magnetic alloys with high magnetic induction 288
Maksymowicz, L.J., M. Lubecka and R. Jabłoński, Magnetic semiconductor thin films of $CdCr_{2-2x}In_{2x}Se_4$ in spin glass state 579
Maksymowicz, L.J., see Cięciwa, B.T. 782
Malliavin, M.-J., O. Acher, F. Bertin and V.S. Larin, High-frequency permeability of thin amorphous wires under an external field 811
Mapps, D.J., see Makhnovskiy, D.P. 629
Marinescu, C.S., see Chiriac, H. 413
Marinescu, C.S., see Chiriac, H. 539
Marko, P., see Sólyom, A. 482
Marín, P. and A. Hernando, Applications of amorphous and nanocrystalline magnetic materials 729
Martino, L., see Pasquale, M. 769
Masson, J.P., see Raulet, M.A. 620
Masumoto, T., see Makino, A. 288
Matejko, R., see Andrejco, R. 381
Matejko, R., P. Vojtaník, R.S. Turtelli, H. Sassik and R. Grössinger, Magnetic properties of annealed FeNi-ZrCuB alloys 384
Mattei, J.-L. and M. Le Floc'h, A numerical approach of the inner demagnetizing effects in soft magnetic composites 589
Mattei, J.-L., see Chevalier, A. 66
Mattern, N., see Müller, M. 437
Mazaleyrat, F. and L.K. Varga, Ferromagnetic nanocomposites 253
Mazaleyrat, F., see Varga, L.K. 121
Medved', V.V., see Kostishyn, V.G. 519
Mehnen, L., see Kaniusas, E. 776

Mehnen, L., H. Pfützner and E. Kaniusas, Magnetostrictive amorphous bimetal sensors 779
Melikhov, Y.Yu., I. Tomáš, J. Kadlecová and O.V. Perevertov, Investigation of two-phase samples by Preisach modelling 27
Melkebeek, J., see Dupré, L.R. 112
Melkebeek, J., see Makaveev, D. 673
Metlov, K.L., Micromagnetics and interaction effects in the lattice of magnetic dots 37
Michelena, M.D., P. Sánchez, E. López, M.C. Sánchez and C. Aroca, Optical vibrating-sample magnetometer 677
Mikhaylov, A.A., see Gorlanova, M.A. 49
Min, B.K., see Kim, C.G. 582
Mizushima, T., see Inoue, A. 246
Müller, M., H. Grahl, N. Mattern and B. Schnell, (FeCoNi)–ZrBCu base alloys, the influence of transition metal composition and heat treatment on structure and magnetic properties 437
Mogilyansky, D., see Rozenberg, E. 201
Mora, M., see Morón, C. 153
Morón, C., M. Mora and A. Garcia, Computer simulation of grain growth kinetics 153
Morón, C., A. Garcia and J.G. Zato, Plastic deformation of the current-annealed amorphous ribbons 469
Moses, A.J., see Derebasi, N. 611
Moses, A.J., A. Ntatsis, T. Kochmann and J. Schneider, Magnetostriction in non-oriented electrical steels: general trends 669
Moses, A.J., see Derebasi, N. 684
Moses, A.J., see Rygal, R. 687
Moses, A.J., N. Derebasi, G. Loisos and A. Schoppa, Aspects of the cut-edge effect stress on the power loss and flux density distribution in electrical steel sheets 690
Moses, A.J., see Anderson, P.I. 714
Muller, M., see Lanotte, L. 276

Nakaji, M., see Nakata, T. 607
Nakamura, M., see Yamaguchi, T. 529
Nakata, T., Y. Ishihara, M. Nakaji and T. Todaka, Comparison between the H-coil method and the magnetizing current method for the single sheet tester 607
Nakata, T., see Ilo, A. 637
Nakata, T., see Goričan, V. 693
Nakata, T., see Ishihara, Y. 696
Narita, K., see Błachowicz, A. 422
Nattrass, D., see Segal, V. 513
Nazarova, L.A., see Skulkina, N.A. 331
Neagu, M., see Chiriac, H. 378
Neagu, M., see Chiriac, H. 759
Nosenko, V., see Zakharenko, M. 313
Ntatsis, A., see Moses, A.J. 669
Nunes, A., see Segal, V. 513

Óvári, T.-A., see Chiriac, H. 407
Óvári, T.-A., see Chiriac, H. 413
Óvári, T.-A., see Chiriac, H. 539
Ocelík, V., see Butvinová, B. 708
Oh, Y.-J., see Kim, C.S. 40
Okazaki, Y., see Yanase, S. 156
Okazaki, Y., H. Kitagawa, S. Yanase and S. Handa, Constant permeability properties of Fe-based amorphous ribbon with inorganic coating 328
Okazaki, Y., see Iwami, Y. 443
Okuno, R., see Yagi, M. 284
Olszewski, J., see Hasiak, M. 410
Olszewski, J., L.K. Varga, J. Zbroszczyk, W.H. Ciurzyńska, M. Hasiak and A. Błachowicz, Magnetic behavior of amorphous and nanocrystalline $Fe_{92-x}Zr$-Cu_1B_x ($x = 2$ or 6) alloys 416
Olszewski, J., see Zbroszczyk, J. 419
Olszewski, J., see Błachowicz, A. 422
Otsuka, I., see Yagi, M. 284
Óvari, T.-A., see Kraus, L. 343

Pancuráková, E., see Kollár, P. 560
Panina, L.V., see Makhnovskiy, D.P. 629
Pardavi-Horvath, M., Microwave applications of soft ferrites 171
Park, B.S., see Kim, C.G. 582
Park, B.S., see Kim, D.Y. 585
Park, C.M., see Kim, D.Y. 585
Park, D.-G., C.G. Kim and J.-H. Hong, Microstructural dependence of Barkhausen noise and magnetic relaxation in the weld HAZ of an RPV steel 765
Park, D.G., D.W. Kim, J.H. Hong, V.P. Timofeev and C.G. Kim, HTS SQUID application for measuring the magnetic properties of AISI type 316L(N) steel 785
Park, S.-I., see Kim, C.S. 40
Park, S.-I., Y.H. Kim, B.W. Lee, Y.S. Cho and C.S. Kim, Magnetic properties of La–Sr–Mn–O/Si thin film as a function of RF magnetron power and O_2 partial pressure 548
Paseka, I., see Lančok, A. 30
Pasquale, M., A. Infortuna, L. Martino, C. Sasso, C. Beatrice and S.H. Lim, Magnetic properties of TbFe thin films under applied stress 769
Peleg, N., see Rozenberg, E. 201
Pelleg, J., see Rozenberg, E. 201
Pelleg, J., see Revzin, B. 204
Perevertov, O.V., see Melikhov, Y.Yu. 27
Perov, N.S., see Zaichenko, S.G. 297
Perov, N.S., see Usov, N.A. 545
Petrikowski, K., see Khan, H.R. 526
Petrovič, P., see Sólyom, A. 482
Petrovič, P., see Zorkovská, A. 492
Pfützner, H., see Krell, C. 63
Pfützner, H., see Baumgartinger, N. 147
Pfützner, H., see Krismanić, G. 150
Pfützner, H., see Baumgartinger, N. 617
Pfützner, H., see Ilo, A. 637
Pfützner, H., see Krismanić, G. 720
Pfützner, H., see Kaniusas, E. 776
Pfützner, H., see Mehnen, L. 779
Pfützner, H., see Krell, C. 634
Pieptanariu, M., see Chiriac, H. 759
Pina, E., see Zhukova, V. 322
Pina, E., see Cobeño, A.F. 743
Pinkiewicz, J., see Kolano, R. 792
Pisanko, I., see Sheiko, L. 24
Pizúrová, N., see Schneeweiss, O. 115

Popa, P.D., see Rezlescu, N. 194
Potapov, A.P., see Dmitrieva, N.V. 453
Powrożnik, W., see Cięciwa, B.T. 782
Prados, C., see Stobiecki, T. 566
Pérez, L., Ó. de Abril, M.C. Sánchez, C. Aroca, E. López and P. Sánchez, Electrodeposited amorphous CoP multilayers with high permeability 337
Prida, V.M., see Tejedor, M. 425
Prieto, J.L., C. Aroca, E. Lopez, M.C. Sanchez and P. Sanchez, Magnetostrictive-piezoelectric magnetic sensor with current excitation 756
Pusztai, T., see Kemény, T. 268

Rabinovich, A., see Segal, V. 513
Raj, K., see Segal, V. 513
Rao, K.V., see Ström, V. 723
Rasek, J., see Kwapuliński, P. 334
Rateo, M., see Carbucicchio, M. 563
Raulet, M.A., J.P Masson, H. Fraisse and J.J. Rousseau, Test of the sample geometry independence of a dynamic hysteretic behavioral model of magnetic materials 620
Revzin, B., see Rozenberg, E. 201
Revzin, B., E. Rozenberg, G. Gorodetsky, J. Pelleg and I. Felner, Magnetization and magnetoresistance of magnetically soft manganite $La_{0.67}Sn_{0.33}MnO_3$ 204
Rezlescu, E., see Rezlescu, N. 194
Rezlescu, L., see Rezlescu, N. 194
Rezlescu, N., L. Rezlescu, P.D. Popa and E. Rezlescu, Influence of additives on the properties of a Ni–Zn ferrite with low Curie point 194
Rialland, J.F., see Alves, F. 387
Riedling, K., see Hauser, H. 788
Rietto, A.M., see Dupré, L.R. 112
Ripka, P. and G. Vértesy, Sensors based on soft magnetic materials. Panel discussion 795
Ripka, P., New directions in fluxgate sensors 735
Roth, J.-O., see Schoppa, A. 100
Roth, S., see David, G. 434
Rousseau, J.J., see Raulet, M.A. 620
Rozenberg, E., J. Pelleg, D. Mogilyansky, B. Revzin, N. Peleg, G. Gorodetsky and I. Felner, Structural and magnetic properties of $Pb_{0.53}(NiFe)_{0.47}$ granular film 201
Rozenberg, E., see Revzin, B. 204
Ruggiero, G., see Carbucicchio, M. 563
Ryabov, I., see Gonchar, A. 221
Ryabov, I., see Gonchar, A. 224
Rygal, R., see Derebasi, N. 611
Rygal, R., see Derebasi, N. 684
Rygal, R., A.J. Moses, N. Derebasi, J. Schneider and A. Schoppa, Influence of cutting stress on magnetic field and flux density distribution in non-oriented electrical steels 687
Ryu, G.H., S.C. Yu, C.G. Kim and S.S. Yoon, Evaluation of anisotropy field in amorphous $Fe_{71+x}Nb_1B_{22-x}$ alloys by GMI measurement 359
Ryu, K.S., see Yoon, S.S. 325

Sadovoy, A., see Sheiko, L. 24
Sadovoy, A., see Sheiko, L. 86
Saito, A., see Iwami, Y. 443
Sakita, M., see Yamaguchi, T. 529
Sanchez, M.C., see Prieto, J.L. 756
Sanchez, P., see Prieto, J.L. 756
Santos, J.D., see Tejedor, M. 319
Sarabhai, S., see Kane, S.N. 372
Sassik, H., M. Schönhart, R. Grössinger, R.S. Turtelli and A. Kottar, Temperature dependence of AC-susceptibility and resistivity of AS-cast and annealed $Fe_{73}Al_5Ga_2P_{11}C_5B_4$ ribbon 260
Sassik, H., see Andrejco, R. 381
Sassik, H., see Matejko, R. 384
Sasso, C., see LoBue, M. 124
Sasso, C., see Pasquale, M. 769
Sato-Turtelli, R., see Škorvánek, I. 440
Schäfer, R. and S. Schinnerling, Bulk domain analysis in FeSi-crystals 140
Schäfer, R., Domains in 'extremely' soft magnetic materials 652
Schinnerling, S., see Schäfer, R. 140
Schneeweiss, O., N. Pizúrová, Y. Jirásková, T. Žák and B. Cornut, Fe_3Si surface coating on SiFe steel 115
Schneeweiss, O., see Jirásková, Y. 118
Schneider, J., see Schoppa, A. 74
Schneider, J., see Schoppa, A. 100
Schneider, J., see Moses, A.J. 669
Schneider, J., see Rygal, R. 687
Schnell, B., see Müller, M. 437
Schönhart, M., see Sassik, H. 260
Schoppa, A., J. Schneider and C.-D. Wuppermann, Influence of the manufacturing process on the magnetic properties of non-oriented electrical steels 74
Schoppa, A., J. Schneider and J.-O. Roth, Influence of the cutting process on the magnetic properties of non-oriented electrical steels 100
Schoppa, A., see Rygal, R. 687
Schoppa, A., see Moses, A.J. 690
Schultz, L., see David, G. 434
Segal, V., A. Rabinovich, D. Nattrass, K. Raj and A. Nunes, Experimental study of magnetic colloidal fluids behavior in power transformers 513
Segers, D., see Jirásková, Y. 118
Senda, K., M. Kurosawa, M. Ishida, M. Komatsubara and T. Yamaguchi, Local magnetic properties in grain-oriented electrical steel measured by the modified needle probe method 136
Serikov, V.V., see Dmitrieva, N.V. 453
Shalyguina, E.E., L.M. Bekoeva and K.-H. Shin, Investigation of Co-rich amorphous microwires by help of magneto-optical method with micron resolution 472
Sheftel, E.N., see Bannykh, O.A. 397
Sheiko, L., G. Brekharya, A. Sadovoy, O. Kulyk and I. Pisanko, Calculation of the magnetostatic energy referred to magnetic charges on surfaces of the grain boundaries 24
Sheiko, L., G. Brekharya, O. Kulyk and A. Sadovoy, Experimental investigation of μ^*-effect near the grain boundaries in grain-oriented silicon steel sheets 86
Shimada, Y., see Yamaguchi, M. 807
Shimizu, R., see Harase, J. 89
Shimizu, T., see Iwami, Y. 443
Shin, D.W., see Ferrando, L. 127

Shin, D.W., J. Degauque and B. Astie, Magnetomechanical behavior of pure Fe, Ni and 49Fe–49Co–2V 165
Shin, D.W., J. Degauque and B. Astie, Influence of the rolling direction on magnetomechanical damping and mechanical Barkhausen noise of non-oriented Fe–3%Si alloy 168
Shin, K.-H., see Shalyguina, E.E. 472
Shintani, A., see Yagi, M. 284
Sievert, J., The measurement of magnetic properties of electrical sheet steel – survey on methods and situation of standards 647
Sievert, J., see Enokizono, M. 772
Simoji, H., see Enokizono, M. 772
Sinnecker, J.P., see Garcia, J.M. 352
Sitek, J., see Butvin, P. 293
Škorvánek, I., P. Duhaj and R. Grössinger, Low-temperature magnetic behaviour in amorphous and nanocrystalline Fe–Nb–B alloys 431
Škorvánek, I., C.G. Kim, J. Kováč, P. Švec and R. Sato-Turtelli, Soft magnetic behaviour and permeability spectra in amorphous and nanocrystalline $Fe_{80.5}Nb_7B_{12.5}$ alloys 440
Skulkina, N.A., see Gorlanova, M.A. 49
Skulkina, N.A., E.A. Stepanova, O.A. Ivanov and L.A. Nazarova, The anomaly of frequency dependence of magnetic losses of rapidly quenched alloys 331
Slavin, A.N., see Guslienko, K.Yu. 576
Sláma, J., P. Krivošik and V. Jančárik, Modification of permeability components modelling 641
Ślawska-Waniewska, A., P. Didukh, J.M. Greneche and P.C. Fannin, Mössbauer and magnetisation studies of $CoFe_2O_4$ particles in a magnetic fluid 227
Ślawska-Waniewska, A., see Greneche, J.M. 264
Ślawska-Waniewska, A., P. Didukh, H.K. Lachowicz and T. Kulik, Microstructural transformation and magnetic properties of annealed CoNbCuSiB alloy 495
Sólyom, A., P. Petrovič, P. Marko, J. Kováč and G. Konczos, Study of Fe–Zr–U–B and Fe–Zr–U–Cu–B nanocrystalline alloys 482
Sánchez, M.C., see Pérez, L. 337
Sánchez, M.C., see Michelena, M.D. 677
Sánchez, M.L., see Tejedor, M. 425
Sánchez, P., see Pérez, L. 337
Sánchez, P., see Michelena, M.D. 677
Snell, D. and A. Coombs, Novel coating technology for non-oriented electrical steels 133
Snell, D., see Lindenmo, M. 79
Sobota, J., see Kolano, R. 792
Soda, N. and M. Enokizono, E&S hysteresis model for two-dimensional magnetic properties 626
Sokulski, J., see Cięciwa, B.T. 782
Solzi, M., see Carbucicchio, M. 563
Song, J.S., see Kim, C.G. 582
Song, S.-H., K.-S. Kim, S.-C. Yu, C.G. Kim and M. Vázquez, Asymmetric GMI characteristics in current-biased amorphous $(Co_{0.94}Fe_{0.06})_{72.5}Si_{12.5}B_{15}$ wire 532
Sovák, P., see Zorkovská, A. 492
Sovák, P., see Kollár, P. 560
Spornic, S.A., A. Kedous-Lebouc and B. Cornut, Anisotropy and texture influence on 2D magnetic behaviour for silicon, cobalt and nickel iron alloys 614
Stanbury, H.J., see Anderson, P.I. 714
Stangl, G., see Hauser, H. 788
Stelmakh, O., see Zakharenko, M. 313
Stepanova, E.A., see Skulkina, N.A. 331
Stobiecki, T., J. Wrona, M. Czapkiewicz, C. Prados, F.J. Castaño, D. Garcia, M. Vázquez, M. Kopcewicz, A. Grabias and R. Żuberek, Uniaxial magnetic properties of sputtered FeB/Cu/FeB trilayers deposited onto bowed substrates 566
Stobiecki, T., G. Gładyszewski, D. Chocyk, M. Czapkiewicz, J. Wrona and D. Żardecki, Structure and oscillatory coupling in NiFe/Ag multilayers with low coercivity 570
Stokłosa, Z., see Kwapuliński, P. 334
Ström, V. and K.V. Rao, A novel method for magnetic imaging: determination of local in-plane susceptibility at a surface 723
Stroug, R.E., see Bannykh, O.A. 397
Štumberger, B., B. Hribernik and V. Goričan, Flux distortion and iron losses in flux-weakened permanent magnet synchronous motor 753
Suezawa, K., see Yamaguchi, M. 807
Sur, J.C., see Uhm, Y.R. 554
Švec, P., see Butvin, P. 293
Švec, P., see Škorvánek, I. 440
Švec, T., see Zeleňáková, A. 459
Szabó, G., see Kádár, G. 592
Szabó, S., M. Kis-Varga, D.L. Beke and R. Juhász, Effect of residual strain, grain size and Fe impurities on magnetic properties of nanocrystalline Ni(Fe) alloys 60
Szabó, Z. and A. Iványi, Computer-aided simulation of Stoner–Wohlfarth model 33
Sztaniszlav, A., M. Farkas-Jahnke and M. Balla, Kinetics of garnet formation in In^{3+}-substituted systems 188
Szynowski, J., see Kolano, R. 792

Takahashi, Y., see Yamaguchi, M. 807
Takanohashi, R., see Landgraf, F.J.G. 92
Takeshima, Y., see Enokizono, M. 704
Tanabe, S., see Yamaguchi, M. 807
Tate, B.J., see Todd, I. 272
TeNyenhuis, Ed and R. Girgis, Effect of slitting electrical core steel on measured iron loss 110
Teillet, J., see Thoumire, O. 103
Teillet, J., see Grognet, S. 391
Teixeira, J.C., see Landgraf, F.J.G. 97
Tejedor, M., J.A. García, J. Carrizo, L. Elbaile and J.D. Santos, Effect of the residual stresses on surface coercive force in amorphous alloys 319
Tejedor, M., B. Hernando, M.L. Sánchez, V.M. Prida, G.V. Kurlyandskaya, D. García and M. Vázquez, Frequency dependence of hysteretic magnetoimpedance in CoFeMoSiB amorphous ribbons 425
Thoumire, O., H. Atmani, A. Fnidiki and J. Teillet, Structural and mechanical study of fluidized-bed nitrided FeSi and FeSiAl sheets 103
Tiberto, P., see Allia, P. 346
Tiberto, P., see Appino, C. 349
Tiberto, P., see LoBue, M. 446
Timofeev, V.P., see Park, D.G. 785

Todaka, T., see Enokizono, M. 43
Todaka, T., see Denma, H. 106
Todaka, T., see Nakata, T. 607
Todaka, T., see Ishihara, Y. 696
Todd, I., B.J. Tate, H.A. Davies, M.R.J. Gibbs, D. Kendall and R.V. Major, Magnetic properties of ultra-soft-nanocomposite FeAlSiBNbCu alloys 272
Todorow, B., O. von Bogen and S. Kanellis, Apparatus for real-time observations of the annealing process of metallic glasses 499
Tomáš, I., see Melikhov, Y.Yu. 27
Torcunov, A.V., S.A. Baranov and V.S. Larin, The magnetic properties of glass-covered microwire with negative magnetostriction constant 303
Tsvetkova, T., see Zakharenko, M. 313
Tóth-Kádár, E., see Vértesy, G. 762
Tumanski, S., The experimental verification of the condition of the magnetic material caused by different technological processes 749
Turilli, G., see Carbucicchio, M. 563
Turtelli, R.S., see Sassik, H. 260
Turtelli, R.S., see Matejko, R. 384
Uhm, Y.R., J.C. Sur and C.S. Kim, Magnetic properties and Mössbauer studies of $Gd_{1-x}Sr_xFeO_{3-y}$ ($x = 0.25, 0.75$) 554
Uhm, Y.S., see Kim, C.R. 551
Ušák, E., see Benda, O. 644
Urse, M., see Chiriac, H. 535
Ushigami, Y., see Kubota, T. 69
Usmanova, G.Sh., see Bannykh, O.A. 397
Usov, N.A., A.S. Antonov and N.S. Perov, Remagnetization process in magnetically soft amorphous wire under the influence of magnetic field of alternating current 545
Vakhitov, R.M. and A.R. Yumaguzin, On magnetic inhomogeneties, originating in the defect area in a cubic ferromagnet 52
Vakhitov, R.M. and V.Ye. Kucherov, Influence of external stresses with $\sigma \| [001]$ upon magnetization processes of cubic ferromagnets 56
Valenzuela, R., see García-Tello, P. 316
Van Hoecke, T., see Jirásková, Y. 118
Varga, B., see Franco, V. 404
Varga, L.K., F. Mazaleyrat, J. Kovac and A. Kákay, Soft magnetic properties of nanocrystalline $Fe_{100-x}Si_x$ ($15 < x < 34$) alloys 121
Varga, L.K., see Mazaleyrat, F. 253
Varga, L.K., see Kane, S.N. 372
Varga, L.K., see Olszewski, J. 416
Varga, L.K., see Herzer, G. 506
Varga, R., P. Vojtanik and M. Konč, Low-field magnetic properties of amorphous and nanocystalline FeCrCuNbSiB alloys 340
Varga, R., see Andrejco, R. 381
Vas'kovskiy, V.O., see Kurlyandskaya, G.V. 516
Vazquez, M., see Garcia, J.M. 352
Vinai, F., see Allia, P. 346
Vinai, F., see Appino, C. 349
Vincze, I., see Kemény, T. 268
Vlasák, G., Z. Kaczkowski and P. Duhaj, Magnetostriction of the $Fe_{73.5}Cu_1Ta_2Nb_1Si_{13.5}B_9$ alloy 476
Vlasák, G., Direct measurement of magnetostriction of rapidly quenched thin ribbons 479
Vojtanik, P., see Varga, R. 340
Vojtanik, P., see Andrejco, R. 381
Vojtanik, P., see Matejko, R. 384
Von Bogen, O., see Todorow, B. 499
Von Rauch, M., see Makaveev, D. 673
Vratislav, S., see Lančok, A. 30
Vérin, Ph., see Waeckerlé, T. 449
Vértesy, G., A. Gasparics, Z. Vértesy and E. Tóth-Kádár, Influence of the core material polishing on the Flux-set sensor's operation 762
Vértesy, G., see Ripka, P. 795
Vértesy, Z., see Vértesy, G. 762
Vázquez, M., see Andrejco, R. 381
Vázquez, M., see Tejedor, M. 425
Vázquez, M., see Kurlyandskaya, G.V. 516
Vázquez, M., see Song, S.-H. 532
Vázquez, M., see Stobiecki, T. 566
Vázquez, M., see Kurlyandskaya, G.V. 740
Waeckerlé, T. and H. Fraisse, To a phenomenological modeling of permalloy behavior 184
Waeckerlé, T., H. Fraisse, L. Chaput and M. Leroy, Low cobalt content electrical sheets for optimized high power density rotating machines 207
Waeckerlé, T., Ph. Vérin, P. Cremer and D. Gautard, Induced anisotropy effect in nanocrystalline cores for GFCBs 449
Waeckerle, T., see Coutu, L. 237
Watts, B.E., see Yapp, R. 300
Wójcik, N., R. Kolano and A. Kolano, Construction and magnetic properties of the amorphous–nanocrystalline cores 503
Wójcik, N., see Kolano, R. 792
Woo, J.S., see Kim, J.-K. 162
Wrona, J., see Stobiecki, T. 566
Wrona, J., see Stobiecki, T. 570
Wuppermann, C.-D., see Schoppa, A. 74
Wysłocki, B., see Hasiak, M. 410
Wysłocki, B., see Błachowicz, A. 422
Yagi, M., I. Endo, I. Otsuka, H. Yamamoto, R. Okuno, H. Koshimoto and A. Shintani, Magnetic properties of Fe-based amorphous powder cores produced by a hot-pressing method 284
Yamaguchi, M., K. Suezawa, Y. Takahashi, K.I. Arai, S. Kikuchi, Y. Shimada, S. Tanabe and K. Ito, Magnetic thin-film inductors for RF-integrated circuits 807
Yamaguchi, T., see Senda, K. 136
Yamaguchi, T., M. Sakita, M. Nakamura and T. Kobira, Synthesis and characteristics of Fe_4N powders and thin films 529
Yamamoto, H., see Yagi, M. 284
Yanase, S., Y. Okazaki and T. Asano, AC magnetic properties of electrical steel core under DC-biased magnetization 156

Yanase, S., see Okazaki, Y. 328
Yapp, R., B.E. Watts and F. Leccabue, Characterisation of amorphous Fe–Cr–Si–B alloys 300
Yoon, S.H., see Kim, W.C. 217
Yoon, S.H., H.M. Lee, S.B. Kim, W.C. Kim and C.S. Kim, Distributions of hyperfine parameters in amorphous $Fe_{78}Al_4Nb_5B_{12}Cu_1$ alloys 362
Yoon, S.S., C.G. Kim, K.J. Jang, S.D. Kwon and K.S. Ryu, Effect of annealing field orientation on complex permeability spectra in Co-based amorphous ribbon 325
Yoon, S.S., see Ryu, G.H. 359
Yoon, S.S., see Jang, K.J. 488
Yoon, T.-S., see Cho, W.-S. 680
Yoshitomi, Y., see Enokizono, M. 43
Yu, S.-C., see Lee, H. 307
Yu, S.-C., see Jang, K.J. 488
Yu, S.-C., see Song, S.-H. 532
Yu, S.-C., see Jang, P.W. 557
Yu, S.C., see Kim, H.C. 355
Yu, S.C., see Ryu, G.H. 359
Yumaguzin, A.R., see Vakhitov, R.M. 52

Zaichenko, S.G., N.S. Perov, A.M. Glezer, E.A. Gan'shina, V.M. Kachalov, M. Calvo-Dalborg and U. Dalborg, Low-temperature irreversible structural relaxation of amorphous metallic alloys 297
Žák, T., see Schneeweiss, O. 115
Závěta, K., see Lančok, A. 30
Zakharenko, M., O. Brud'ko, M. Babich, V. Nosenko, T. Tsvetkova and O. Stelmakh, Thermomagnetic study of the $Fe_{80}Si_6B_{14}$-based soft magnetic glasses 313
Żardecki, D., see Stobiecki, T. 570
Zato, J.G., see Morón, C. 469
Zbroszczyk, J., see Hasiak, M. 410
Zbroszczyk, J., see Olszewski, J. 416
Zbroszczyk, J., H. Fukunaga, J. Olszewski, W.H. Ciurzyńska, M. Hasiak and A. Błachowicz, Mössbauer and magnetic studies of amorphous and nanocrystalline $Fe_{85.4}Zr_{6.8-x}Nb_xB_{6.8}Cu_1$ $(x = 0, 1, 2)$ alloys 419
Zbroszczyk, J., see Błachowicz, A. 422
Zeleňáková, A., M. Kuźmiński, J. Füzer, P. Kollár and T. Švec, Magnetic properties of surface layers of $Fe_{71.5}Si_{15.5-x}Cu_1Nb_3B_9Al_x$($x = 0,1,2,3$ at%) alloys with substitutions by aluminium 459
Zhukov, A., see Zhukova, V. 322
Zhukov, A.P., see Cobeño, A.F. 743
Zhukova, V., A.F. Cobeño, E. Pina, A. Zhukov, J.M. Blanco, L. Dominguez, V. Larin and J. Gonzalez, Study of the magnetic properties of $Fe_{73.4-x}Cu_1Nb_{3.1}Si_{13.4+x}B_{9.1}$ $(1.1 \leqslant x \leqslant 1.6)$ microwires 322
Zorkovská, A., J. Kováč, P. Sovák, P. Petrovič and M. Konč, Structure and magnetic behaviour of Fe–Cu–Nb–Si–B–Al alloys 492
Żuberek, R., see Stobiecki, T. 566
Zuberek, R., see Grognet, S. 391
Zucca, M., see Bottauscio, O. 130

ELSEVIER

Journal of Magnetism and Magnetic Materials 215–216 (2000) 825–828

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volumes 215–216

AC bias field 629
AC magnetic property 156
AC susceptibility 340
Acquired inhibitor 69
Additives 194
Aging 97
AISI 316 steel 785
Alloys 127, 272, 316, 434, 614
AlN 162
Alternating-gradient magnetometer 677
Amorphous 300, 307, 310, 325, 359, 362, 397, 484, 488
Amorphous alloys 334, 355, 437, 495
Amorphous and crystalline form 499
Amorphous and nanocrystalline alloys 416
Amorphous and nanocrystalline ferromagnets 346
Amorphous and nanocrystalline ribbons 378
Amorphous distribution transformer 792
Amorphous glass-covered microwires 303
Amorphous magnetic material 693, 696
Amorphous materials 349, 469
Amorphous microwires 472
Amorphous multilayers 566
Amorphous powder 284
Amorphous ribbons 319, 443, 743, 762, 779
Amorphous soft magnetic materials 240
Amorphous systems-ribbons 260
Amorphous wires 343, 539, 545
Amorphous–nanocrystalline composite cores 503
Amplitude contraction 159
AMR 585
Anisotropic hyperfine field fluctuation 40
Anisotropic Magnetoresistance 582
Anisotropic magnetoresistive effect 788
Anisotropy 97, 147, 729
Anisotropy angle 325
Anisotropy constant 585
Anisotropy field 359
Annealing 680
Annealing process 499
Anomaly 331
Asymmetric giant magnetoimpedance 532
Asymmetry 629
Atomic migration 210
Attractor 43
Auto-biased sensors 629
Averaging method 696

Barkhausen effect 1
Barkhausen jumps 33
Barkhausen noise 165, 168, 765
Barrier mechanism 221
BCC phase 268
Bimetal sensors 776
Bimetallic strips 779
Bulk amorphous alloys 394
Bulk domains 140

Cathode sputtering 788
Chaos 43
Charge compensation 519
Circular field 532
Circumferential permeability 539
Co ferrite 210
Coatings 79, 115
Coercive force 60, 337
Coercivity 280, 319, 384, 431, 440, 560
Coincidence boundary 89, 162
Colloid 513
Colossal magnetoresistance 40
Complex permeability 355, 641, 807
Composite materials 66, 589
Compound admixture 224
Computational micromagnetism 11
Consolidated core 284
Cooling rate 410
Core loss 69
Cores 637
Corrosion 237
Cross section 664
Crystalline anisotropy field 582
Crystallisation 334
Crystallisation processes 495
Crystallization 288, 313, 328
Curie temperature 60, 300, 313
Current annealed 469
Cutting 100
Cutting stress 687
CVD 115

DC and AC properties 272
DC-biased current 532
DC-biased magnetization 156, 704
ΔE effect 601
Debye temperature 210
Defect 52
Defect density 118
Deformation 94, 97, 469
Demagnetizing effects 66
Demagnetizing factors 589
Demagnetizing field 788
Density 194
Dielectric strength 513
Disaccommodation 410, 542
Displacement sensors 759
Distributions of hyperfine field 362
Domain 49, 359
Domain branching 140
Domain configuration 443
Domain growth 153
Domain patterns 11
Domain structure 303, 459
Domain walls 52, 601, 765
Doped manganites 204
DSC 372, 387
DTG/M/ 188
Dynamic hysteresis 620, 746

Eddy current loss 106, 224
Eddy currents 623
Eddy-current methods 700
Eddy-current sensors 700
Electric motors 74, 100
Electrical resistance 535
Electrical sheet steel 647
Electrical sheet width 623
Electrical steels 79, 92, 94, 97, 110, 133, 687, 749
Electrical steel sheet 156
Electrodeposition 352, 526
Electroinsulation coating 49
Electrolytic multilayers 337
Electromagnetic forces 746

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00399-1

Electromechanical coupling 746
Elliptical sensor shape 788
Enhanced initial susceptibility 18
Exchange-coupling field 585
Extended dipoles 6

Fatigue 785
Fe impurity 60
Fe-based amorphous alloy 328
Ferrite–garnet films 519
Ferrites 194, 213, 231
Ferrites
– soft 171
Ferrofluid 227
Ferromagnetic bulk glassy alloy 246
Ferromagnetic materials 86
Ferromagnetic resonance 171, 368, 407, 428, 807
Ferromagnetic resonance frequency 66
Field annealing 325, 449, 488
Field diffusion equation 620
Field distribution 150, 720
Field homogeneity 673
Field sensitivity 585
Field strength measurement 673
Finemet 387
FINEMET 400, 404
Finemet 476
Finemet alloy 459
Finite element method 46
Finite element–boundary element method 130
Flash annealing 387
Fluidized-bed 103
Flux density 687
Flux distortion 753
Flux distribution 150, 720
Flux weakening 753
Fluxgate 735
Force magnetostriction 476, 479
Fractal dimension 43
Frequency dependence 331

Garnet 188
Garnet structure 551
Giant magneto-impedance 352
Glass-coated microwires 322
Glass-covered amorphous wires 759
GMI 484, 488
GMI-valve 488
Goss texture 83
Grain boundaries 24, 86, 89
Grain size 92, 97
Grain size distribution 422
Grain-oriented Fe–Si 112
Grain-oriented silicon steel 69, 89, 136
Grain-oriented steel 83
Granular films 201
Gyromagnetic effect 413
Gyromagnetic response 811

H-coil method 607
Hall effect 378, 535
Hardness 664
Harmonics 159
Heat transfer 513
Heat treatment 322, 573
Hexagonal single-sheet tester 617
High frequency 717
High permeability 288
High saturation magnetic induction 288
High silicon–iron ribbons 542
High-frequency applications 253
High-frequency measurements 684
High-frequency use 284
Highly ohmic thin layers 224
Hot pressing 284
HTS SQUID 785
Hysteresis 46, 592, 641, 740
Hysteresis characteristics 472
Hysteresis loss 224
Hysteresis model 1, 626
Hysteresis modeling 446

Ideally soft ferromagnets 18
Improved read-heads 18
In-plane anisotropy 723
Incoherent nucleation 201
Incremental permeability 680
Induced anisotropy 387, 449
Induced magnetic anisotropy 453
Inductors 800
Inhibitor 162
Inorganic coating 328
Instrumentation 714
Interdiffusion phenomena 563
Interface effects 264
Interfaces 387
Intermetallic alloys 197
Internal stresses 197, 601
Invar effect 416
Inverse Wiedemann effect 743
Iron cobalt alloy 207
Iron cube 6
Iron losses 110, 604, 623, 626, 753
Iron loss measurement 607
Iron nitride 30
Iron-silicon 140
Iron–nitride 529

Joule heating 260, 316

Kerr effect 459
Kerr microscopy 652
Kirkindall effect 221

Laser annealing 484
Linear excitation 33
Linear variable differential transformer 759
Linearity 629
Local building factor 150
Local susceptibility 723
Loss distribution 150, 720
Losses 637
Losses separation 94, 97
Low core loss 288
Low cost 207
Low-temperature properties 463
LPR 680

μ^*-effect 24
μ^*-effect 86
Magnetic after-effect 340, 446
Magnetic aftereffects 331, 708
Magnetic anisotropy 293, 337, 349, 407, 529, 604, 740
Magnetic behavior 184
Magnetic characterization 620
Magnetic composites 253
Magnetic coupling 570
Magnetic domain structure 69
Magnetic domains 6, 140, 165, 168, 652
Magnetic dots 37, 576
Magnetic field measurements 749
Magnetic field sensors 762
Magnetic fluid 513
Magnetic force microscopy 352
Magnetic hyperfine field 213
Magnetic hysteresis 27
Magnetic imaging 723
Magnetic induction 89, 159, 162
Magnetic loop 620
Magnetic losses 49, 112, 124, 127, 331, 466
Magnetic material modelling 46
Magnetic materials 684
Magnetic measurement method 704
Magnetic measurements 136, 664, 769
Magnetic microstructure 140, 652
Magnetic model 449
Magnetic moment 30
Magnetic permeability 346
Magnetic phase 56
Magnetic properties 74, 100, 204, 303, 334, 372, 419, 455, 459, 482, 495, 611, 690, 785
Magnetic relaxation 765
Magnetic semiconductors 782
Magnetic sensors 735, 756
Magnetic shielding 130
Magnetic standing wave 413
Magnetic susceptibility 410
Magnetically hard directions 147
Magnetisation processes 516
Magnetization 201, 526, 529
Magnetization change 443
Magnetization distribution 86
Magnetization processes 11, 56, 280, 425, 545, 592
Magnetizing current method 607
Magneto-impedance 545, 629
Magneto-impedance effect 539
Magneto-optical effects 472

Magnetoelastic 729
Magnetoelastic anisotropy 743
Magnetoelastic effects 779
Magnetoelastic sensors 231
Magnetoelastic uniaxial in-plane anisotropy 566
Magnetoelastic Villari effect 231
Magnetoelasticity 276
Magnetoimpedance 307, 310, 343, 349, 359, 425, 516, 740
Magnetomechanical damping 165, 168, 601
Magnetometers 735
Magnetoplastic anisotropy 197
Magnetoresistance 204, 516, 548
Magnetoresistive RAM 522
Magnetostatic energy 24
Magnetostatic fields 86
Magnetostatic waves 171
Magnetostriction 49, 63, 147, 159, 431, 443, 617, 669, 714, 769, 779
Magnetostriction constant 601
Magnetostrictive 756
Magnetostrictive amorphous ribbons 776
Magnetron sputtering 397
Major magnetostriction hysteresis loop 234
Manufacturing process 74, 100
Material testing 749
Measurements of magnetic properties 711
Measurements of properties 647
Measuring method 156
Mechanical noise 165, 168
Mechanical properties 127, 237
Mechanical stress 690
Melt spin 300
Melt-spun ribbon 288
Metallic glasses 280, 313, 479, 499
Metastable nanocrystalline Fe–Si 121
Microhardness 103
Micromagnetic device 807
Micromagnetic simulation 6
Micromagnetic structure 472
Micromagnetics 18
Micropatterning 807
Microstructural parameters 224
Microwave 171
Microwire 729, 811
Miniaturisation 756
Minor magnetostriction hysteresis loops 234
Modelling 184
Mohr's salt 554
Monte Carlo simulation 153, 592
MR ratio 522
Mössbauer 40
Mössbauer effect 419, 422
Mössbauer investigations 453
Mössbauer measurements 455
Mössbauer spectra 30, 542
Mössbauer spectrometry 264
Mössbauer spectroscopy 115, 118, 210, 213, 217, 227, 268, 362, 375, 410, 492, 519
Mössbauer Spectroscopy 551
Mössbauer spectroscopy 554
Multidirectional 617
Multidirectional magnetostriction 634
Multilayers 570, 629

Nanocrystalline 307, 365, 365, 368, 428, 449, 560
Nanocrystalline alloys 264, 288, 375, 400, 404, 419, 463, 466, 492
Nanocrystalline magnetic materials 384
Nanocrystalline magnets 280
Nanocrystalline materials 372, 397, 422, 482, 708
Nanocrystalline Ni 60
Nanocrystalline structure 322, 495
Nanocrystalline wires 407
Nanocrystallization 387, 431, 437, 440
Nanocrystals 268, 476
Nanoparticles 253
Nanoperm 387
Nanophases 272, 391
Nanowires 526
Neural network 617
Neutron irradiation 355
New material 276
Nitriding 103
Nitriding treatment 391
Nitrogenated ribbons 391
No-load losses 637
Noise 634
Non-destructive methods 726
Non-destructive testing 27
Non-linear moving term 644
Non-linear skew congruency 644
Non-magnetic materials 726
Non-oriented electrical steels 74, 100, 669
Non-oriented Fe–Si 168
Non-oriented silicon steel sheet 106
Non-oriented steel 690
Non-sinusoidal waveform excitation 106
Nondestructive testing 700
Novel annealing 310
Numerical computations 589

Optical absorption 519
Optical detection 677
Orientational phase diagram 56
Orthoferrite 188
Orthorhombic deformation 557
Oxygen-containing atmosphere 221

Particle 529
Permalloy film 788
Permalloys 184
Permanent magnets synchronous motor 753
Permeability 307, 328, 428, 440, 765, 811
Permeability spectra 121
Permeability spectrum 325
Permeabiliy 194
Perovskite compound 548
Phase transition 381
Photoconductivity 782
PHR 585
Physiological sensors 776
Piezoelectric 756
Positron annihilation 118
Post-charging technology 221
Powder 560
Power electronics 240
Power losses 63, 664, 693
Preisach model 27, 597, 644, 746
Preisach modeling 592
Primary recrystallization 89, 162
Printing 133
Pseudo-spin valve film 522

Quality factor 807
Quenching rate 455

Random anisotropy model 60, 729
Rapid solidification 246, 434
Rapidly quenched ribbons 293
Rayleigh rule 280
RBS 548
Reactive annealing 434
Reentrant transition 782
Relative magnetic permeability 726
Relaxation effects 641
Relaxation processes 319
Residual amorphous phase 268
Residual grains orientation 83
Residual strain 60
Residual stresses 319
Resistivity 121, 194, 260, 499
Resonant mechanical sensor 677
RF sputtering 548
RF-integrated circuits 807
Rotating machines 207
Rotational Barkhausen noise 43
Rotational magnetic behaviour 614
Rotational magnetic field 33
Rotational magnetisation 147, 150
Rotational single sheet tester 673
Rotational single-sheet tester 147
Rotor eccentricity 604

Saturation 476, 479
Saturation magnetization 60
Saturation magnetostriction 378
Secondary recrystallization 69, 83, 89, 162
Sensor devices 276
Sensors 720, 769, 779
Shape magnetic anisotropy 522
Sheet 103
Sheet specimen 573
SiFe steel 115, 118
Silicon iron 63, 634

Silicon steel 147, 772
Silicon steel sheet 704
Silicon steel sheets 24
Single domain 582
Single-sheet tester 607, 693
Slant type SME 573
Slitting 110
SMA 573
SMPS converter 387
Soft magnetic 365, 397
Soft magnetic alloys 431, 440
Soft magnetic FeNi 237
Soft magnetic films 800
Soft magnetic materials 260, 413, 434, 717
Soft magnetic multilayers 563
Soft magnetic properties 246, 288, 381, 394, 437
Soft-magnetic properties 284
Solid-state reaction 188
Soliton 52
Sol–gel 40
Sol–gel method 217, 551
Specific total loss 717
Spin glass 579, 782
Spin valve film 522
Spin waves 576
Spiral coil 807
SST 704
SST by H-coil method 696
Standards consistency 647
Stoner–Wohlfarth model 33
Stray fields 37
Strengthening 197
Stress annealing 387
Stress effects 63, 124, 443, 769
Structural relaxation 334
Structure 103, 118, 482
Superexchange interaction 210, 554
Superlattice structure 570
Superparamagnetic particles 227, 416
Superparamagnetism 400, 563
Surface 115, 118
Surface effects 227
Surface magnetic anisotropy 579
Susceptometer 785
Switching field 522

TEM 492
Temperature 582
Tensile stress 316
Thermal activation 446
Thermal relaxation 1
Thermal stability 313, 453
Thermoelectric force 535
Thermomagnetic analysis 492
Thermomagnetic curves 560
Thermomagnetic measurements 404, 463
Thin films 365, 516, 529, 535, 557, 680, 769
Thin platelets 11
Thin-film inductor 807
Three-phase induction motor 772
Toroidal core 611
TPR 680
Traceable measurements 717
Transformer 513
Transformer cores 63, 150, 634
Transformers 240, 637
Transition bands 92
Two-dimensional magnetic properties 626, 772

Ultra-high frequency 800
Ultrafine particles 217
Uncertainties of measurements 711
Uniaxial anisotropy 557
Unidirectional magnetic anisotropy 579
UV coatings 133

Vector hysteresis 597
Volume 476, 479
Volume mechanism 221
VSM 213, 217

Weak-ferromagnetic 554
Wide supercooled liquid region 246
Wire 729
Wire specimen 573
Wound magnetic cores 684

X-ray 188
X-ray diffraction 375
XRD 372, 387

Zero magnetostriction 288